

LAYOUT INK SPRAY BLUE

Page: 1

Compilation date: 11/10/2011

Revision No: 5

## Section 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name: LAYOUT INK SPRAY BLUE

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: Metal Marking Ink

## 1.3. Details of the supplier of the safety data sheet

Company name: ROCOL

ROCOL House Swillington

Leeds

West Yorkshire LS26 8BS ENGLAND

**Tel:** +44 (0) 113 232 2700 **Fax:** +44 (0) 113 232 2740

Email: <a href="mailto:customer-service@rocol.com">customer-service@rocol.com</a>

## 1.4. Emergency telephone number

Emergency tel: +44 (0) 113 232 2600

### Section 2: Hazards identification

### 2.1. Classification of the substance or mixture

Classification under CHIP: F+: R12; Xi: R36; -: R67

Most important adverse effects: Extremely flammable. Irritating to eyes. Vapours may cause drowsiness and dizziness.

## 2.2. Label elements

Label elements under CHIP:

**Hazard symbols:** Extremely flammable.

Irritant.





Risk phrases: R12: Extremely flammable.

R36: Irritating to eyes.

R67: Vapours may cause drowsiness and dizziness.

Safety phrases: S16: Keep away from sources of ignition - No smoking.

S26: In case of contact with eyes, rinse immediately with plenty of water and seek

## LAYOUT INK SPRAY BLUE

Page: 2

medical advice.

S38: In case of insufficient ventilation, wear suitable respiratory equipment.

S51: Use only in well-ventilated areas.

Precautionary phrases: Pressurized container: protect from sunlight and do not expose to temperatures

exceeding 50°C. Do not pierce or burn, even after use.

Do not spray on a naked flame or any incandescent material. Keep away from sources

of ignition - No smoking. Keep out of the reach of children.

#### 2.3. Other hazards

PBT: This substance is not identified as a PBT substance.

### Section 3: Composition/information on ingredients

#### 3.2. Mixtures

#### Hazardous ingredients:

#### **ACETONE**

200-661-7

CAS	CHIP Classification	CLP Classification	Percent	
67-64-1	F: R11; Xi: R36; -: R66; -: R67	-	30-50%	
HYDROCARBON AEROSOL PROPELLANT (<0.1% 1,3-BUTADIENE)				
68476-85-7	F+: R12	-	30-50%	
PROPAN-2-OL				
	67-64-1 N AEROSOL PI	67-64-1 F: R11; Xi: R36; -: R66; -: R67  N AEROSOL PROPELLANT (<0.1% 1,3-BUTADIENE	67-64-1 F: R11; Xi: R36; -: R66; -: R67 - N AEROSOL PROPELLANT (<0.1% 1,3-BUTADIENE)	

#### Section 4: First aid measures

## 4.1. Description of first aid measures

67-63-0

Skin contact: Wash immediately with plenty of soap and water.

F: R11; Xi: R36; -: R67

**Eye contact:** Bathe the eye with running water for 15 minutes. Consult a doctor.

Ingestion: Wash out mouth with water. Do not induce vomiting. Consult a doctor.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a

doctor.

## 4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be irritation and redness at the site of contact.

**Eye contact:** There may be irritation and redness. The eyes may water profusely.

**Ingestion:** There may be soreness and redness of the mouth and throat. May cause dizziness.

**Inhalation:** There may be irritation of the throat with a feeling of tightness in the chest. Drowsiness

or mental confusion may occur.

#### 4.3. Indication of any immediate medical attention and special treatment needed

10-30%

## LAYOUT INK SPRAY BLUE

Page: 3

## Section 5: Fire-fighting measures

#### 5.1. Extinguishing media

**Extinguishing media:** Do not use water. Alcohol resistant foam. Carbon dioxide. Dry chemical powder. Use water spray to cool containers.

## 5.2. Special hazards arising from the substance or mixture

**Exposure hazards:** Extremely flammable. Forms explosive air-vapour mixture. In combustion emits toxic fumes of carbon dioxide / carbon monoxide.

#### 5.3. Advice for fire-fighters

**Advice for fire-fighters:** Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

#### Section 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions:** Refer to section 8 of SDS for personal protection details. Eliminate all sources of ignition.

## 6.2. Environmental precautions

**Environmental precautions:** Do not discharge into drains or rivers.

#### 6.3. Methods and material for containment and cleaning up

**Clean-up procedures:** Do not use equipment in clean-up procedure which may produce sparks. Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

## 6.4. Reference to other sections

# Section 7: Handling and storage

### 7.1. Precautions for safe handling

**Handling requirements:** Ensure there is sufficient ventilation of the area. Do not handle in a confined space. Smoking is forbidden.

# 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in cool, well ventilated area. Keep away from sources of ignition. Keep away from

direct sunlight. Ensure lighting and electrical equipment are not a source of ignition.

Suitable packaging: Must only be kept in original packaging.

## 7.3. Specific end use(s)

# Section 8: Exposure controls/personal protection

## LAYOUT INK SPRAY BLUE

Page: 4

## 8.1. Control parameters

### Hazardous ingredients:

# **ACETONE**

#### Workplace exposure limits:

#### Respirable dust

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	1210 mg/m3	3620 mg/m3	-	-

## HYDROCARBON AEROSOL PROPELLANT (<0.1% 1,3-BUTADIENE)

UK 1000ppm 1750mg/m3   1250ppm 2180mg/m3   -			-	1250ppm 2180mg/m3	1000ppm 1750mg/m3	UK
--	--	--	---	-------------------	-------------------	----

#### PROPAN-2-OL

UK	999 mg/m3	1250 mg/m3	-	-

#### 8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area. Ensure lighting and electrical

equipment are not a source of ignition.

Respiratory protection: Respiratory protection not normally required.

Hand protection: Nitrile gloves.

**Eye protection:** Safety glasses with side-shields.

Skin protection: Protective clothing.

Environmental: No special requirement.

# Section 9: Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

State: Aerosol
Colour: Blue

Odour: Characteristic odour

Evaporation rate: Fast

Oxidising: Non-oxidising (by EC criteria)

Solubility in water: Insoluble

Viscosity: Non-viscous

Boiling point/range°C: -42 Flammability limits %: lower: 1.8

upper: 9.4

## 9.2. Other information

Other information: Not applicable.

## Section 10: Stability and reactivity

### 10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

LAYOUT INK SPRAY BLUE

Page: 5

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

10.4. Conditions to avoid

**Conditions to avoid:** Direct sunlight. Heat. Sources of ignition.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong reducing agents.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes of carbon dioxide / carbon monoxide.

### Section 11: Toxicological information

### 11.1. Information on toxicological effects

#### Relevant effects for mixture:

Effect	Route	Basis
Irritation	OPT	Hazardous: calculated

#### Symptoms / routes of exposure

**Skin contact:** There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

**Ingestion:** There may be soreness and redness of the mouth and throat. May cause dizziness.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest. Drowsiness

or mental confusion may occur.

## Section 12: Ecological information

## 12.1. Toxicity

Ecotoxicity values: Not applicable.

### 12.2. Persistence and degradability

Persistence and degradability: Only slightly biodegradable.

# 12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

## 12.4. Mobility in soil

Mobility: Highly volatile. Absorbed only slowly into soil.

#### 12.5. Results of PBT and vPvB assessment

PBT identification: This substance is not identified as a PBT substance.

## LAYOUT INK SPRAY BLUE

Page: 6

#### 12.6. Other adverse effects

## Section 13: Disposal considerations

#### 13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal

company.

**Disposal of packaging:** Dispose of in a regulated landfill site or other method for hazardous or toxic wastes.

NB: The user's attention is drawn to the possible existence of regional or national

regulations regarding disposal.

# **Section 14: Transport information**

## 14.1. UN number

UN number: UN1950

#### 14.2. UN proper shipping name

Shipping name: AEROSOLS

### 14.3. Transport hazard class(es)

Transport class: 2

#### 14.4. Packing group

### 14.5. Environmental hazards

Environmentally hazardous: No Marine pollutant: No

14.6. Special precautions for user

# **Section 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## 15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture

by the supplier.

### Section 16: Other information

## Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No

453/2010.

EC Directive 94/1/EC adapting some technicalities of Council Directive 75/324/EEC on

the approximation of the laws of Member States relating to aerosol dispensers.

Phrases used in s.2 and 3: R11: Highly flammable.

R12: Extremely flammable.

R36: Irritating to eyes.

## LAYOUT INK SPRAY BLUE

Page: 7

R66: Repeated exposure may cause skin dryness or cracking.

R67: Vapours may cause drowsiness and dizziness.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive

and shall be used only as a guide. This company shall not be held liable for any

damage resulting from handling or from contact with the above product.