Technical Data

Performance you can trust



FOODLUBE® Multi-Paste Spray



ISO 21469 Certified

ROCO

Food grade, non-toxic, multipurpose anti-seize and lubricating spray

Product Overview

ROCOL[®] FOODLUBE Multi-Paste Spray is a white non-toxic lubricating spray that applies an anti-seize paste which is ideal for the assembly and lubrication of threads, bushes, slides and small open gears operating in food, pharmaceutical and other clean environments.

FOODLUBE Multi-Paste Spray is developed with extremely low chlorine and sulphur levels making it ideal for use on stainless steel fasteners commonly found in food, pharmaceutical and other clean environments.

FOODLUBE Multi-Paste Spray is designed to prevent pick up and seizure even in wet, dirty and corrosive conditions.

Also available in paste form – see FOODLUBE Multi-Paste.

Features and Benefits

- FOODLUBE Multi-Paste Spray has metal detectable plastic components (aerosol caps and actuators) capable of detection by most metal detection equipment.
- Excellent temperature resistance -30°C to +450°C minimum.
- Extremely low chlorine and sulphur levels making it ideal for preventing pick up and seizure of stainless steel fasteners, particularly at elevated temperatures.
- Economical in use only requires a thin film for maximum performance.
- Extremely tenacious resists water wash.

T +44 (0) 113 232 2600

F +44 (0) 113 232 2740 **E** customer-service@rocol.com

www.rocol.com

Directions for Storage and Use

- Shake aerosol well before use.
- Apply from a distance of 15-30 cm (6-12 inches).
- For best results as an anti seize lubricant apply to both the male and female parts.
- Use only in well ventilated areas.
- Apply as a thin film by brushing or wiping onto a clean dry surface.
- Also available as FOODLUBE Multi-Paste for manual application.
- The storage temperature should be kept below +50°C, and the storage area should be out of direct sunlight.
- Shelf life is 4 years from date of manufacture.

Specifications

- FOODLUBE Multi-Paste Spray does not contain: mineral hydrocarbons, animal derived materials, nut oils or genetically modified ingredients.
- FOODLUBE Multi-Paste Spray is manufactured from only FDA listed ingredients:
 - FDA Group 21 CFR 178.3570
- FOODLUBE Multi-Paste Spray is NSF registered:
 - NSF H1 registered 121613
- ISO 21469 certified

Pack Sizes

Pack Size	Part Code
400ml	15751

ROCOL A division of ITW Ltd









Registered Company No. 559693 VAT No. 742 0531 67 Registered Office: Admiral House, St Leonard's Road, Windsor, Berkshire SL4 3BL

ROCOL House, Swillington, Leeds LS26 8BS

BS EN ISO 9001 BS EN ISO 14001 ficate No. FM 12448 Certificate No. FMS 67596 OHSAS 18001 Certificate No. OHS 78173

Technical Data

Performance you can trust







FOODLUBE® Multi-Paste Spray

Food grade, non-toxic, multipurpose anti-seize and lubricating spray

Property	Test Method	Result
Appearance	Visual	Smooth white paste
Base Type	N/A	Synthetic lubricant
Solids	N/A	White, non-toxic solids
Propellant	N/A	Hydrocarbon
Solvent	N/A	Hydrocarbon
Temperature Range	N/A	-30°C to +450°C minimum
Flash Point (applied film)	ASTM D92	>200°C
Water Solubility	N/A	Insoluble
Coefficient of Friction	N/A	0.09
Approximate Coverage	0.1mm film thickness	10m²/kg
Metal Detection:		
Aerosol Cap	Equivalent sphere size	>3.0mm
Actuator	Equivalent sphere size	>3.0mm

Values quoted above are typical and do not constitute a specification.

Safety Data Sheets

Safety data sheets are available for download from our website <u>www.rocol.com</u> or may be obtained from your usual ROCOL contact.

The information in this publication is based on our experience and reports from customers. There are many factors outside our control or knowledge which affect the use and performance of our products, for which reason it is given without responsibility. Issue: 3 Date: 03-13

T +44 (0) 113 232 2600 F +44 (0) 113 232 2740 E customer-service@rocol.com www.rocol.com ROCOL House, Swillington, Leeds LS26 8BS

Registered Company No. 559693 VAT No. 742 0531 67 Registered Office: Admiral House, St Leonard's Road, Windsor, Berkshire SL4 3BL

ROCOL A division of *IT* W Ltd









BS EN ISO 9001 Certificate No. FM 12448 BS EN ISO 14001 OHSAS 18001 Certificate No. EMS 67596 Certificate No. OHS 78173



FOODLUBE MULTIPASTE SPRAY

Page: 1

Compilation date: 10/11/2011

Revision No: 3

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: FOODLUBE MULTIPASTE SPRAY

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.3. Details of the supplier of the safety data sheet

Company name: ROCOL

	ROCOL House
	Swillington
	Leeds
	West Yorkshire
	LS26 8BS
	ENGLAND
Tel:	+44 (0) 113 232 2700
Fax:	+44 (0) 113 232 2740
Email:	customer-service@rocol.com

1.4. Emergency telephone number

Emergency tel: +44 (0) 113 232 2600

Section 2: Hazards identification

Classification under CHIP:	F+: R12; -: R67; -: R52/53
ost important adverse effects:	Extremely flammable. Vapours may cause drowsiness and dizziness. Harmful to
	aquatic organisms, may cause long-term adverse effects in the aquatic environment.
2.2. Label elements	

Hazard symbols: Extremely flammable.



Risk phrases:	R12: Extremely flammable.
	R67: Vapours may cause drowsiness and dizziness.
	R52/53: Harmful to aquatic organisms, may cause long-term adverse effects in the
	aquatic environment.
Safety phrases:	S16: Keep away from sources of ignition - No smoking.
	S23: Do not breathe spray.

FOODLUBE MULTIPASTE SPRAY

Page: 2

S51: Use only in well-ventilated areas.

S35: This material and its container must be disposed of in a safe way.Precautionary phrases:Pressurized container: protect from sunlight and do not expose to temperatures
exceeding 50°C. Do not pierce or burn, even after use.
Do not spray on a naked flame or any incandescent material. Keep away from sources

of ignition - No smoking. Keep out of the reach of children.

2.3. Other hazards

PBT: This substance is not identified as a PBT substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

HYDROCARBON AEROSOL PROPELLANT (<0.1% 1,3-BUTADIENE)

EINECS	CAS	CHIP Classification	CLP Classification	Percent
270-704-2	68476-85-7	F+: R12	-	50-70%

ISOPARAFFINIC HYDROCARBON

292-458-5 90622-56-3 F: R11; Xn: R65; Xi: R38; -: R67; N: R51/53	-	10-30%	
---	---	--------	--

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Wash immediately with plenty of soap and water.

Eye contact: Bathe the eye with running water for 15 minutes.

Ingestion: Wash out mouth with water. Do not induce vomiting.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat. May cause dizziness.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

4.3. Indication of any immediate medical attention and special treatment needed

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Do not use water. Alcohol resistant foam. Dry chemical powder. Carbon dioxide. Use water spray to cool containers.

FOODLUBE MULTIPASTE SPRAY

5.2. Special hazards arising from the substance or mixture

Exposure hazards: Extremely flammable. Forms explosive air-vapour mixture. In combustion emits toxic fumes of carbon dioxide / carbon monoxide.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. Eliminate all sources of ignition.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Do not use equipment in clean-up procedure which may produce sparks. Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

6.4. Reference to other sections

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Ensure there is sufficient ventilation of the area. Do not handle in a confined space. Smoking is forbidden.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in cool, well ventilated area. Keep away from sources of ignition. Keep away from direct sunlight. Ensure lighting and electrical equipment are not a source of ignition.
 Suitable packaging: Must only be kept in original packaging.

7.3. Specific end use(s)

Section 8: Exposure controls/personal protection

8.1. Control parameters

Hazardous ingredients:

FOODLUBE MULTIPASTE SPRAY

Page: 4

HYDROCARBON AEROSOL PROPELLANT (<0.1% 1,3-BUTADIENE)

Workplace exposure limits: Respirable dust State 8 hour TWA 15 min. STEL 8 hour TWA 15 min. STEL UK 1000ppm 1750mg/m3 1250ppm 2180mg/m3 ISOPARAFFINIC HYDROCARBON

UK 1200 mg/m3

8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area. Ensure lighting and electrical

equipment are not a source of ignition.

Respiratory protection: Respiratory protection not normally required.

Hand protection: Protective gloves.

Eye protection: Safety glasses with side-shields.

Skin protection: Protective clothing.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State:	Aerosol	
Colour:	White	
Odour:	Characteristic odour	
Evaporation rate:	Fast	
Oxidising:	Non-oxidising (by EC criteria)	
Solubility in water:	Not miscible	
Viscosity:	Non-viscous	
Boiling point/range°C:	<0 Melting point/range°C:	< 0
Flammability limits %: lower:	1.8 upper:	9.4
Flash point°C:	-20 Autoflammability°C:	>200
Vapour pressure:	> 2000 Relative density:	0.6

9.2. Other information

Other information: Not applicable.

Section 10: Stability and reactivity

10.1. Reactivity

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

FOODLUBE MULTIPASTE SPRAY

10.4. Conditions to avoid

Conditions to avoid: Direct sunlight. Heat. Sources of ignition.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong reducing agents.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes of carbon dioxide / carbon monoxide.

Section 11: Toxicological information

11.1. Information on toxicological effects

Toxicity values: Not applicable.

Symptoms / routes of exposure

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat. May cause dizziness.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Section 12: Ecological information

12.1. Toxicity

Ecotoxicity values: Not applicable.

12.2. Persistence and degradability

Persistence and degradability: Only slightly biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Highly volatile. Readily absorbed into soil.

12.5. Results of PBT and vPvB assessment

PBT identification: This substance is not identified as a PBT substance.

12.6. Other adverse effects

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal of packaging: Dispose of in a regulated landfill site or other method for hazardous or toxic wastes.

NB: The user's attention is drawn to the possible existence of regional or national

regulations regarding disposal.

FOODLUBE MULTIPASTE SPRAY

Page: 6

Section 14: Transport information

14.1. UN number

UN number: UN1950

14.2. UN proper shipping name

Shipping name: AEROSOLS

14.3. Transport hazard class(es)

Transport class: 2

14.4. Packing group

14.5. Environmental hazards

Environmentally hazardous: No

14.6. Special precautions for user

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

Marine pollutant: No

Section 16: Other information

Other information	
Other information:	Contains only FDA listed ingredients. NSF H1 registered.
	EC Directive 94/1/EC adapting some technicalities of Council Directive 75/324/EEC on
	the approximation of the laws of Member States relating to aerosol dispensers.
	This safety data sheet is prepared in accordance with Commission Regulation (EU) No
	453/2010.
	Compiled in accordance with REACH.
Phrases used in s.2 and 3:	R11: Highly flammable.
	R12: Extremely flammable.
	R38: Irritating to skin.
	R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic
	environment.
	R52/53: Harmful to aquatic organisms, may cause long-term adverse effects in the
	aquatic environment.
	R65: Harmful: may cause lung damage if swallowed.
	R67: Vapours may cause drowsiness and dizziness.
Legal disclaimer:	The above information is believed to be correct but does not purport to be all inclusive

FOODLUBE MULTIPASTE SPRAY

Page: 7

and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.